IG-Touch Lite (SX) Interactive Corporate Solutions

A high performing panel at a low cost!





Key Features

- 4K Ultra HD Display
- 40 Point touch
- Anti-Glare tempered glass
- 7 Year warranty

Create an interactive and collaborative work space within your boardroom or meeting room with our IG-Touch Solutions.

Available in 55", 65", 75" & 86" screen sizes

Plug and Play with Easy Connectivity

Connect your laptops and desktops using the provided cables. The panel supports HDMI for image display, and touch functionality is enabled through the USB-A to USB-B cable.

With plug-and-play capability, you can transform your computer or laptop into a large-format interactive display.

Simply present your PowerPoint, browser, document, internal software or any other resources. You can control your computer interactively through the IG-TouchLite Panel.







The perfect Solution for every classroom!

IG-Touch Lite (SX) Interactive Education Solutions

Want an all-in-one solution with a built in Windows OPS Compute? CPU: Intel Core i5 / Core i7 Memory: 8GB DDR4 / 16GB Display: Intel Iris XE Graphics Storage: 256GB / 512GB M.2 Drive Network: Gigabit LAN, Dual Band Wi-Fi 6 Bluetooth Audio: HD audio Operating System: Windows 10 / Windows 11 Ports: 1 x HDMI, 1x USB-C, 2 x USB3.1, 1 x USB2.0, 1 x LAN, 1 x audio out



Your Hardware & Software

Once your display is connected, you can interactively use any software from your laptop or PC.

Download resources to your hardware and present them seamlessly, using tools like whiteboarding applications, CRM Systems, Job Management Systems and other corporate programs.

Why Choose IG-TouchLite over a Commercial TV for your Office?

Interactive Display with 40 Point Touch

IG-TouchLite features a 40-point multi-touch display, allowing multiple students to interact simultaneously. This capability fosters collaboration and engagement—something a standard commercial TV simply can't match.

Durable, Anti-Glare Tempered Glass

IG-TouchLite is built with anti-glare, tempered toughened glass, minimizing reflections and ensuring durability. This makes it safe and robust enough to withstand daily use, unlike commercial TVs that aren't designed for heavy, interactive handling.

Unmatched Peace of Mind with a 5-Year Warranty

IG-TouchLite comes with an industry-leading 5-year warranty, offering long-term security and support. Whereas most commercial TVs offer shorter warranties of 1 to 3 Years.

IG-Touch *Lite (SX)* **Interactive Education Solutions**

PANEL	55"	65″	75"	86"
Screen Size	55" (54.64")	65" (64.53")	75" (74.52")	86" (85.6")
Panel Technology	TFT LCD	TFTLCD	TFT LCD	TFTLCD
Display Resolution	3840 x 2160	3840 x 2160	3840 × 2160	3840 x 2160
Brightness (Type)	350 cd / m	350 cd / m	350 cd / m	350 cd / m
Contrast (Type)	1200 : 1	4000:1	4000:1	4000:1
DCR	>5000:1	>5000:1	>5000:1	>5000:1
Response Time (Gray To Gray)	8 ms	8 ms	8 ms	8 ms
Frame Rate	60 Hz	60 Hz	60 Hz	60 Hz
Viewing Angle (H / V)	178° / 178°	178° / 178°	178° / 178°	178° / 178°
Backlight Type	Direct LED	Direct LED	Direct LED	Direct LED
Service Life	> 30,000 Hours	> 30,000 Hours	> 30,000 Hours	> 30,000 Hours
Installation	Landscape	Landscape	Landscape	Landscape
тоисн				
Detection Method	Infrared	Infrared	Infrared	Infrared
Avalilable Touch Point	40 Point (5 point @3mm)	40 Point (5 point @3mm)	40 Point (5 point @3mm)	40 Point (5 point @3mm)
Response Time (Type)	<=5 ms	<=5 ms	<=5 ms	<=5 ms
Minimum Response Size	>= @3mm	>= @3mm	>= @3mm	>= @3mm
Touch Resolution	32768 x 32768	32768 × 32768	32768 x 32768	32768 x 32768
Communication Interface	USB	USB	USB	USB
PORTS				
HDMI2.0 Input(s)	3 (Side)	3 (Side)	3 (Side)	3 (Side)
USB 3.0 Port(s)	2 (Side/Type-A)	2 (Side/Type-A)	2 (Side/Type-A)	2 (Side/Type-A)
USB 2.0 Port(s)	1 (Side)	1 (Side)	1 (Side)	1 (Side)
USB type C (DP1.2 +TOUCH USB+65W power)	1 (Side)	1 (Side)	1 (Side)	1 (Side)
Headphone Output(s)	1 (Side / Mini Jack)	1 (Side / Mini Jack)	1 (Side / Mini Jack)	1 (Side / Mini Jack)
Audio In	1 (Side / Mini Jack)	1 (Side / Mini Jack)	1 (Side / Mini Jack)	1 (Side / Mini Jack)
RS-232C Port(s)	1 (Side / D8-9F)	1 (Side / DB-9F)	1 (Side / DB-9F)	1 (Side / DB-9F)
Touch Out	2 (1 Side / USB Type-B 2.0)	2 (1 Side / USB Type-B 2.0)	2 (1 Side / USB Type-B 2.0)	2 (1 Side / USB Type-B 2.0)
SOUND				
Audio Power Output (RMS)	15W x 2	15W x 2	15W x 2	15W x 2
Subwoofer	N/A	N/A	N/A	N/A
Speaker Position	Bottom	Bottom	Bottom	Bottom
Sound Mode	Standard / Music / Movie /Sports / User	Standard / Music / Movie /Sports / User	Standard / Music / Movie /Sports / User	Standard / Music / Movie /Sports / U
SMART SYSTEM OSD Language Function	English	English	English	English
MECHANICAL	1071 V 754 V 00 7	1400 9 070 9 00 7	1714 9 1005 9 04	1050 - 1112 - 01
Dimension of Product (W x H x D) Dimension of Package Carton (W x H x D)	1271 X 754 X 83.7 mm 1395 x 230 x 875	1490 X 878 X 83.7 mm 1615 x 1000 x 230	1714 X 1005 X 84 mm 1839 x 1127 x 230	1959 x 1143 X 84 mm 2084 x 1264 x 230
H x D) VESA® Hole Pitch (W x H)	400 x 400 (mm), M8 Screw	600 x 400 (mm), M8 Screw	800 x 600 (mm), M8 Screw	800 x 600 (mm), M8 Screw
Weight of Product	400 x 400 (mm), W8 Screw TBD	38.3Kg	47.8Kg	60Kg
Weight of Product Weight of Package Carton (Gross)	TBD			
Power Supply	AC 90-264 V 47 / 63Hz	45.5 ± 1.82 Kg AC 90-264 V 47 / 63Hz	57.3 ± 2.3 Kg AC 90-264 V 47 / 63Hz	71.4 ± 2.86Kg AC 90-264 V 47 / 63Hz
Power Supply Power Consumption (in Operation)	AC 90-264 V 47 / 63Hz TBD	AC 90-264 V 47 / 63Hz 300W	AC 90-264 V 47 / 63Hz 350W	460W
Power Consumption (in Operation)	<= 0.5 W	<= 0.5 W	<= 0.5 W	460W
ECO Sensor	Yes	Yes	Yes	Yes
ENVIRONMENTAL				
Operation Temperature	5-35 C	5 - 35 C	5-35 C	5 - 35 C
	-15 - 45 C	-15 - 45 C	-15 - 45 C	-15 - 45 C
Storage Temperature	20 40 6			
Storage Temperature Operation Humidity	20 - 80 %RH (No Condensation)	20 - 80 %RH (No Condensation)	20 - 80 %RH (No Condensation)	20 - 80 %RH (No Condensation)

IG-TouchLite, brings you interactive technology at a lower cost! IG-TouchLite, a user friendly, versatile, and cost-effective front-of-room display designed to engage, inspire, and support collaboration in the office.